

REFERENCES

All the references cited throughout the book are listed below. The number in bold following the reference indicates the chapter(s) in which it was cited.

- Abawi GY, Dutta S, Zhang X and McClymont D (2005) ENSO-based streamflow forecasting and its application to water allocation and cropping decisions - An Australian experience. In: Wagener T, Franks S, Gupta H et al. (eds) *Regional Hydrological Impacts of Climatic Change – Impact Assessment and Decision Making*. IAHS Publication 295, pp 346–354. [13]
- Abawi GY, Yasin I and Dutta S. et al. (2002) Capturing the benefits of seasonal climate forecasts in agricultural management. ACIAR Final report. [13]
- Alves O, Balmaseda MA, Anderson DLT and Stockdale TN (2004) Sensitivity of dynamical seasonal forecasts to ocean initial conditions. *Quart. J. Roy. Meteorol. Soc.*, **130**, 647–667. [5]
- Anderson DLT and Gill AE (1975) Spin-up of a stratified ocean, with applications to upwelling. *Deep-Sea Research*, **22**, 583–596. [4]
- Anderson DLT, Sarachik ES, Webster PJ and Rothstein LM (1998) The TOGA DECADE: Reviewing the progress of El Niño research and prediction. Special Issue of *J. Geophysical Research*, **103**. (Preface at page 14,167) [3]
- Anderson JL and Ploshay JJ (2000) Impact of initial conditions on seasonal simulations with an atmospheric general circulation model. *Quart. J. Roy. Meteorol. Soc.*, **126**, 2241–2264. [8]
- Anderson JR, Dillon JL and Hardakar JB (1977) *Agricultural Decision Analysis*, Iowa State University Press, Ames, Iowa, 344 pp. [13]
- Apel JR (1987) *Principles of Ocean Physics*, Academic Press, 634 pp. [5]
- Barnett TP, Latif M, Graham NE, Flügel M, Pazan S and White WB (1993) ENSO and ENSO-related predictability. Part I: Prediction of equatorial Pacific sea surface temperature with a hybrid coupled ocean-atmosphere model. *J. Climate*, **6**, 1545–1566. [8]
- Bates B (2002) Joint international workshop on applicable methods for use of seasonal climate forecasts in water management. IRI, Palisades, New York, USA. [13]
- Bengtsson L, Schlese U, Roeckner E, Latif M, Barnett TP and Graham NE (1993) A two-tiered approach to long-range climate forecasting. *Science*, **261**, 1026–1029. [8]
- Benson C and Clay EJ (2004) Understanding the Economic and Financial Impacts of Natural Disasters, World Bank, 119 pp. [11]
- Bergthorsson P and Doos B (1955) Numerical weather map analysis, *Tellus*, **7**, 329–340. [5]
- Bjerknes J (1966) A possible response of the atmospheric Hadley circulation to equatorial anomalies of ocean temperature. *Tellus*, **18**, 820–829. [4]
- Bouttier F and Courtier P (1999) Data assimilation concepts and methods. Lecture Notes, ECMWF, 59 pp. Available at: http://www.ecmwf.int/newsevents/training/rcourse_notes/DATA_ASSIMILATION/ASSIM_CONCEPTS/Assim_concepts.html [9]
- Branković Č and Palmer TN (2000) Seasonal skill and predictability of ECMWF PROVOST ensembles. *Quart. J. Roy. Meteorol. Soc.*, **126**, 2035–2067. [8]

- Brenner J (1991) Southern Oscillation anomalies and their relationship to wildfire activities in Florida. *Int. J. Wildland Fire*, **1**, 73–78. [12]
- Bröcker J and Smith LA (2007) Scoring probabilistic forecasts: The importance of being proper. *Weather Forecasting*, **22**, 382–388. [10]
- Bryan K, Manabe S and Pacanowski RC (1975): A global ocean-atmosphere climate model. Part II: Oceanic circulation. *J. Physical Oceanography*, **5**, 30–46. [6]
- Busalacchi AJ and O'Brien JJ (1981) Interannual variability of the equatorial Pacific in the 1960's. *J. Geophysical Research*, **86**, 10,901–10,907. [6]
- Cane MA and Sarachick ES (1977) Forced baroclinic ocean motions: II. Linear equatorial bounded case. *J. Mar. Res.*, **35**, 395–432. [4]
- Cane MA and Patton RJ (1984) A numerical-model for low-frequency equatorial dynamics. *J. Physical Oceanography*, **14**, 1853–1863. [6]
- Chang P, Yamagata T, Schopf P et al. (2006) Climate fluctuations of tropical coupled systems - The role of ocean dynamics. *J. Climate*, **19**, 5122–5174. [3]
- Charney JG, Fjörtoft R and v. Neumann J. (1950) Numerical integration of the barotropic vorticity equation. *Tellus*, **2**, 237–254. [5]
- Chelton DB, Esbensen SK, Schlax MG et al. (2001) Observations of coupling between surface wind stress and sea surface temperature in the eastern tropical Pacific. *J. Climate*, **14**, 1479–1498. [6]
- Chen D, Cane MA, Kaplan A, Zebiak SE and Huang D (2004) Predictability of El Niño in the past 148 years. *Nature*, **428**, 733–736. [4]
- Cherchi A and Navarra A (2007) Sensitivity of the Asian summer monsoon to the horizontal resolution: Differences between AMIP-type and coupled model experiments. *Climate Dynamics*, **28**, 273–290. [6]
- Coelho CAS, Pezzulli S, Balmaseda M, Doblas-Reyes FJ and Stephenson DB (2003) Skill of coupled model seasonal forecasts: A Bayesian assessment of ECMWF ENSO forecasts. ECMWF Technical Memorandum No. 426, 16 pp. [9]
- Coelho CAS, Pezzulli S, Balmaseda M, Doblas-Reyes FJ and Stephenson DB (2004) Forecast calibration and combination: A simple Bayesian approach for ENSO. *J. Climate*, **17**, 1504–1516. [9]
- Coelho CAS, Stephenson DB, Balmaseda M, Doblas-Reyes FJ and van Oldenborgh GJ (2005) Toward an integrated seasonal forecasting system for South America. *J. Climate*, **19**, 3704–3721. [9]
- Collins WD, Bitz CM, Blackmon ML et al. (2006) The Community Climate System Model Version 3 (CCSM3). *J. Climate*, **19**, 2122–2143. [6]
- Conover WJ (2001) *Practical Nonparametric Statistics*, Wiley, 584 pp. [8]
- Cressman GP (1959) An operational objective analysis system. *Monthly Weather Review*, **87**, 367–374. [5]
- Cutter SL, Emrich CT, Mitchell JT et al. (2006) The long road home: Race, class, and recovery from hurricane Katrina. *Environment*, **48**, 8–20. [11]
- Daan H (1985) Sensitivity of verification scores to the classification of the predictand. *Monthly Weather Review*, **113**, 1384–1392. [10]
- Daley R (1991) *Atmospheric Data Analysis*, Cambridge University Press, 457 pp. [5]
- Davey M, Huddleston M, Ingleby B et al. (2006) Multi-model multi-method multi-decadal ocean analyses from the ENACT project. CLIVAR Exchanges, No 38, **11**(3), 22–25. See also: http://www.ecmwf.int/research/EU_projects/ENACT/index.html [5]
- Dee DP (2005) Bias and data assimilation. *Quart. J. Roy. Meteorol. Soc.*, **131**, 3323–3343. [5]
- Delworth TL, Broccoli AJ, Rosati A et al. (2006) GFDL's CM2 global coupled climate models. Part I: Formulation and simulation characteristics. *J. Climate*, **19**, 643–674. [6]

- Doblas-Reyes FJ, Hagedorn R and Palmer TN (2005) The rationale behind the success of multi-model ensembles in seasonal forecasting. Part II: calibration and combination. *Tellus*, **57A**, 234–252. [8]
- Dutta SC, Ritchie JW, Freebairn DM and Abawi GY (2006) Rainfall and streamflow response to El Niño Southern Oscillation: A case study in a semi-arid catchment, of Australia. *Hydrological Sciences Journal*, **51**, 1006–1020. [13]
- Eisenman I, Yu L, and Tziperman E (2005) Westerly wind bursts: ENSO's tail rather than the dog? *J. Climate*, **18**, 5224–5238. [3]
- Eliassen A (1954) Provisional report on calculation of spatial covariance and autocorrelation of the pressure field. Videnskaps-Akademiets Institutt for Vaer-og Klimaforskning, Report No. 5, 11 pp. [5]
- Elmore KL (2005) Alternatives to the chi-square test for evaluating rank histograms from ensemble forecasts. *Weather Forecasting*, **20**, 789–795. [8, 10]
- Evensen G (1994) Sequential data assimilation with a nonlinear quasi-geostrophic model using Monte Carlo methods to forecast error statistics. *J. Geophysical Research*, **99**(C5), 10,143–10,162. [5]
- Evensen G (1997) Advanced data assimilation for strongly nonlinear dynamics. *Monthly Weather Review*, **125**, 1342–1354. [5]
- Fisher M (2003) Background error covariance modelling, Proc. ECMWF Seminar on Recent Developments in Data Assimilation for Atmosphere and Ocean, 8-12 Sept 2003, Reading, U.K., 45–63. [5]
- Focks D (2003) Impact of anticipated climate change on dengue in the Caribbean based on the new ocean/atmosphere-coupled Hadley climate model version 3 (HadCM3). In: Aron JL, Corvalán CF and Philippeaux H (eds) Climate Variability and Change and their Health Effects in the Caribbean: Information for Adaptation Planning in the Health Sector. WHO Conference and Workshop 21-25 May 2002. [13]
- Fukumori I, Lee T, Cheng B and Menemenlis D (2004) The origin, pathway, and destination of Niño-3 water estimated by a simulated passive tracer and its adjoint. *J. Physical Oceanography*, **34**, 582–604. [4]
- Galanti E, Tziperman E, Harrison M, Rosati A and Sirkes Z (2003) A study of ENSO Prediction using a hybrid coupled model and the adjoint method for data assimilation. *Monthly Weather Review*, **131**, 2748–2764. [5]
- Gandin LS (1965) Objective analysis of meteorological fields, Hydrometeoizdat, English translation by Israel Program for Scientific Translations, Jerusalem, available from NTIS as N66-18047. [5]
- Gent PR and Cane MA (1989) A reduced gravity, primitive equation model of the upper equatorial ocean. *J. Computational Physics*, **81**, 444–480. [6]
- Ghil M, Cohn S, Tavantzis J, Bube K and Issacson E (1981) Applications of estimation theory to numerical weather prediction. In: *Dynamic Meteorology*, Springer-Verlag, New York, 139–224. [5]
- Gibberd V, Rook J, Sear CB and Williams JB (1995) Drought risk management in southern Africa: The potential of long lead climate forecasts for improved drought management. A Natural Resources Institute report for the UK Overseas Development Administration and the World Bank, NRI, Chatham, UK, 38 pp. [11]
- Gill AE (1982) *Atmosphere-Ocean Dynamics*. Academic Press, 662 pp. [4]
- Glahn HR and DA Lowry (1972) The use of Model Output Statistics (MOS) in objective weather forecasting. *J. Applied Meteorology*, **11**, 1203–1211. [9]
- Glantz M (2003) *Climate Affairs*, Island Press, 184 pp. [2]
- Gneiting T and Raftery AE (2007) Strictly proper scoring rules, prediction, and estimation. *J. Amer. Statist. Assoc.*, **102**, 359–378. [10]

- Goddard L and Dilley M (2005) El Niño: Catastrophe or opportunity. *J. Climate*, **18**, 651–665. [3]
- Gong XF, Barnston AG and Ward MN (2003) The effect of spatial aggregation on the skill of seasonal precipitation forecasts. *J. Climate*, **16**, 3059–3071. [8]
- Goodwin P and Wright G (2003) *Decision Analysis for Management Judgment*, 3rd edn. Wiley, 477 pp. [2]
- Grabowski WW (2001) Coupling cloud processes with large-scale dynamics using the Cloud-Resolving Convective Parameterisation (CRCP). *J. Atmos. Sci.*, **58**, 978–997. [6]
- Graham RJ, Gordon M, McLean PJ et al. (2005) A performance comparison of coupled and uncoupled versions of the Met Office seasonal prediction general circulation model. *Tellus*, **57A**, 320–339. [8]
- Gualdi S, Navarra A, Guilyardi E and Delecluse P (2003) Assessment of the tropical Indo-Pacific climate in the Sintex CGCM. *Annals of Geophysics*, **46**, 1–26. [6]
- Guérémy J-F, Déqué M, Braun A and J-P Piedelièvre (2005) Actual and potential skill of seasonal predictions using the CNRM contribution to DEMETER: Coupled versus uncoupled model. *Tellus*, **57A**, 308–319. [8]
- Hagedorn R, Doblas-Reyes F and Palmer TN (2006) DEMETER and the application of seasonal forecasts. In: Palmer TN and Hagedorn R (eds) *Predictability of Weather and Climate*. Cambridge Univ. Press, pp. 674–692. [3]
- Hagedorn R, Doblas-Reyes FJ and Palmer TN (2005) The rationale behind the success of multi-model ensembles in seasonal forecasting. Part I: Basic concept. *Tellus*, **57A**, 219–233. [8]
- Hamill TM (1997) Reliability diagrams for multicategory probabilistic forecasts. *Weather Forecasting*, **12**, 736–741. [10]
- Hamill TM (2001) Interpretation of rank histograms for verifying ensemble forecasts. *Monthly Weather Review*, **129**, 550–560. [10]
- Hamlet AF, Huppert D and Lettenmair DP (2002) Economic value of long-lead streamflow forecasts for Columbia River hydropower. *J. Water Resour. Plng. and Mgmt.*, **128**, 91–101. [13]
- Hansen JW and Jones JW (2000) Scaling-up crop models for climate variability applications. *Agricultural Systems*, **65**: 43–72. [12]
- Hansen JW, Marx S and Weber E (2004) The role of climate perceptions, expectations, and forecasts in farmer decision making: The Argentine Pampas and South Florida. Technical Report 04-01. The Earth Institute at Columbia University. [12]
- Harper S (2000) Thermocline ventilation and pathways of tropical-subtropical water mass exchange. *Tellus*, **52A**, 330–345. [9]
- Hasselmann K (1976) Stochastic climate models. Part I: Theory. *Tellus*, **28**, 473–485. [3]
- Haylock M and McBride J (2001) Spatial coherence and predictability of Indonesian wet season rainfall. *J. Climate*, **14**, 3882–3887. [13]
- Held IM and Suarez MJ (1994) A proposal for the intercomparison of the dynamical cores of atmospheric general circulation models. *Bull. Amer. Meteor. Soc.*, **75**, 1825–1830. [6]
- Hersbach H (2000) Decomposition of the continuous ranked probability score for ensemble prediction systems. *Weather Forecasting*, **15**, 559–570. [10]
- Hosking JRM (1990) L-moments: analysis and estimation of distributions using linear combinations of order statistics. *J. Roy. Statist. Soc.*, **B52**, 105–124. [8]
- Hoskins BJ and Hodges KI (2002) New perspectives on the Northern Hemisphere winter storm tracks. *J. Atmos. Sci.*, **59**, 1041–1061. [6]
- Howard RA (1990) From influence to relevance to knowledge. In: Oliver RM and Smith JQ (eds) *Influence Diagrams, Belief Nets and Decision Analysis*. Wiley. [2]

- Hsu WR and Murphy AH (1986) The attributes diagram - A geometrical framework for assessing the quality of probability forecasts. *International J. Forecasting*, **2**, 285-293. [10]
- Huang B and Liu Z (1999) Pacific subtropical-tropical thermocline water exchange in the National Centers for Environmental Prediction ocean model. *J. Geophysical Research*, **104**, 11,065-11,076. [4]
- Hulme M, Biot Y, Borton J et al. (1992) Seasonal rainfall forecasting for Africa. Part II: Application and Impact Assessment. *Int. J. Environ. Stud.*, **40**, 103-121. [13]
- Ineson S and Davey MK (1997) Interannual climate simulation and predictability in a coupled TOGA GCM. *Monthly Weather Review*, **125**, 721-741. [8]
- IPCC (2001) Climate Change: Synthesis Report: A contribution of Working Groups I, II and III to the Third Assessment Report of the Intergovernmental Panel on Climate Change. Watson RT and the Core Writing Team (eds). Cambridge Univ. Press, UK. 398 pp. [2]
- IRI (2000) Coping with the climate: A way forward. Workshop Report: A multi-stakeholder review of Regional Climate Outlook Forums. Pretoria, South Africa, International Research Institute for Climate Prediction. See: <http://iri.columbia.edu/outreach/publication/irireport/PretoriaSumRpt2.html> [11]
- IRI (2005) Sustainable development in Africa: Is the climate right? International Research Institute for Climate Prediction. (IRI Technical Report 01-05). Available at: <http://iri.columbia.edu/outreach/publication/report/05-01/report05-01.pdf> [2, 11, 13]
- Jin F-F (1997) An equatorial ocean recharge paradigm for ENSO. Part I: Conceptual model. *J. Atmos. Sci.*, **54**, 811-829. [4]
- Johnson GC and McPhaden MJ (1999) Interior pycnocline flow from the subtropical to the equatorial Pacific Ocean. *J. Physical Oceanography*, **29**, 3073-3089. [4]
- Johnson GC, Sloyan BM, Kessler WS, and McTaggart KM (2002) Direct measurements of upper ocean currents and water properties across the tropical Pacific during the 1990s. *Progress in Oceanography*, **52**, 31-61. [6]
- Jolliffe IT (2007) Uncertainty and inference for verification measures. *Weather Forecasting*, **22**, 637-650. [7]
- Jolliffe IT and Stephenson DB (2003) *Forecast Verification: A Practitioner's Guide in Atmospheric Science*, Wiley, 240 pp. [7, 10]
- Jolliffe IT and Stephenson DB (2007) Proper scores for probability forecasts can never be equitable. *Weather and Forecasting*, in press. [10]
- Jones CS, Shriver JF and O'Brien JJ (1999) The effects of El Niño on rainfall and fire in Florida. *Florida Geographer*, **30**, 55-69. [12]
- Jones JW, Hansen JW, Royce FS and Messina CD (2000) Potential benefits of climate forecasting to agriculture. *Agric. Ecosys. Env.*, **82**, 169-184. [12]
- Jones JW, Hoogenboom G, Porter et al. (2003) The DSSAT cropping system model. *Eur. J. Agron.* **18**, 235-265. [12]
- Jung T (2005) Systematic errors of the atmospheric circulation in the ECMWF forecasting system. *Quart. J. Roy. Meteorol. Soc.*, **131**, 1045-1073. [6]
- Kalman RE (1960) A new approach to linear filtering and prediction of the ASME. *J. Basic Engineering*, pp. 35-45. [5]
- Katz RW and Murphy AH (eds) (1997) *Economic Value of Weather and Climate Forecasts*, Cambridge University Press, 222 pp. [10]
- Keetch JJ and Byram GM (1968) A drought index for forest fire control. Res. Pap. SE-38. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 35 pp. [12]
- Keogh DU, Abawi GY; Dutta SC et al. (2004) Context Evaluation: A profile of irrigator climate knowledge, needs and practices in the northern Murray-Darling Basin to aid de-

- velopment of climate-based decision support tools and information and dissemination of research. *Australian J. Experimental Agriculture*, **44**, 247–257. [13]
- Keppenne CL, Rienecker MM, Kurkowski NP and Adamec DA (2005) Ensemble Kalman filter assimilation of temperature and altimeter data with bias correction and application to seasonal prediction. *Nonlin. Proc. Geophys.*, **12**, 491–503. [5]
- Kharin VV and Zwiers FW (2002) Climate predictions with multimodel ensembles. *J. Climate*, **15**, 793–799. [8]
- Kharin VV and Zwiers FW (2003) Improved seasonal probability forecasts. *J. Climate*, **16**, 1684–1701. [8]
- Kiladis GN and Diaz HF (1989) Global climatic anomalies associated with extremes in the Southern Oscillation. *J. Climate*, **2**, 1069–1090. [12]
- Killworth P, Stainforth D, Webb D and Paterson S (1991) The development of a free-surface Bryan-Cox-Semtner ocean model. *J. Physical Oceanography*, **21**, 1333–1348. [6]
- Kirtman BP and Schopf PS (1998) Decadal variability in ENSO predictability and prediction. *J. Climate*, **11**, 2804–2822. [4]
- Klinker E and Sardeshmukh PD (1992) The diagnosis of mechanical dissipation in the atmosphere from large-scale balance requirements. *J. Atmos. Sci.*, **49**, 608–627. [6]
- Klinker E, Rabier F, Kelly G and Mahfouf JF. (2000) The ECMWF operational implementation of four-dimensional variational assimilation. Part I: Experimental results and diagnostics with operational configuration. *Quart. J. Roy. Meteorol. Soc.*, **126**, 1191–1215. [5]
- Knaff JA and Landsea CW (1997) An El Niño – Southern Oscillation Climatology and Persistence (CLIPER) forecasting system. *Weather Forecasting*, **12**, 633–652. [7]
- Kössler W (1999) Rank tests in the two-sample scale problem with unequal and unknown locations. *Statistical Papers*, **40**, 13–35. [8]
- Kumar A (2007) On the interpretation and utility of skill information for seasonal climate predictions. *Monthly Weather Review*, **135**, 1974–1984. [10]
- Lamb PJ (1981) Do we know what we should be trying to forecast – climatically? *Bull. Amer. Meteor. Soc.*, **62**, 1000–1001. [12]
- Lander J and Hoskins BJ (1997) Believable scales and parameterisations in a spectral transform model. *Monthly Weather Review*, **125**, 292–303. [6]
- Latif M, Pohlmann H and Park W (2006) Predictability of the North Atlantic thermohaline circulation. In: Palmer TN and Hagedorn R (eds) *Predictability of Weather and Climate*. Cambridge Univ. Press, pp. 342–364. [3]
- Latif M, Timmermann A, Grötzner A, Eckert C and R Voss (2002) On North Atlantic interdecadal variability: A stochastic view. In: Pinardi N and Woods J (eds) *Ocean Forecasting*. Springer Verlag, pp. 149–178. [3]
- Ledwell JR, Watson AJ and Law CS (1993) Evidence for slow mixing across the pycnocline from an open-ocean tracer-release experiment. *Nature*, **364**, 701–703. [6]
- Leeuwenburgh O (2005) Assimilation of along-track altimeter data in the tropical Pacific region of a global OGCM ensemble. *Quart. J. Roy. Meteorol. Soc.*, **131**, 2455–2472. [5]
- Lemos MCD (2003) A tale of two polices: The politics of climate forecasting and drought relief in Ceará, Brazil. *Policy Sci.*, **36**, 101–123. [2]
- Loewenstein GF, Weber EU, Hsee CK and Welch N (2001) Risk as feelings. *Psychological Bulletin*, **127**, 267–286. [2]
- Lorenc AC (1986) Analysis methods for numerical weather prediction. *Quart. J. Roy. Meteorol. Soc.*, **112**, 1177–1194 [5]
- Lorenc AC and Rawlins F (2005) Why does 4D-Var beat 3D-Var? *Quart. J. Roy. Meteorol. Soc.*, **131**, 3247–3257. [5]
- Lorenz EN (1963) Deterministic Nonperiodic Flow. *J. Atmos. Sci.*, **20**, 130–141. [2]

- Lorenz EN (1993) *The Essence of Chaos*, Univ Washington Press, 227 pp. [2, 3]
- Luyten JR, Pedlosky J and Stommel H. (1983) The ventilated thermocline. *J. Physical Oceanography*, **13**, 292–309. [4]
- Malanotte-Rizzoli P, Hedstrom K, Arango H and Haidvogel DB (2000) Water mass pathways between the subtropical and tropical ocean in a climatological simulation of the North Atlantic ocean circulation. *Dyn. Atmos. Ocean.*, **32**, 331–371. [4]
- Manabe S and Bryan K (1969) Climate calculations with a combined ocean-atmosphere model. *J. Atmos. Sci.*, **26**, 786–789. [6]
- Manabe S, Bryan K and Spelman MJ (1975) A global ocean-atmosphere climate model. Part I. The atmospheric circulation. *J. Physical Oceanography*, **5**, 3–29. [6]
- Manabe S, Bryan K and Spelman MJ (1979) Global ocean-atmosphere climate model with seasonal variation for future studies of climate sensitivity. *Dyn. Atmos. Oceans*, **3**, 393–426. [6]
- Mason IT (2003) Binary events. In: Jolliffe IT and Stephenson DB (eds) *Forecast Verification: A Practitioner's Guide in Atmospheric Science*. Wiley, pp 37–76. [10]
- Mason SJ (2004) On using “climatology” as a reference strategy in the Brier and ranked probability skill scores. *Monthly Weather Review*, **132**, 1891–1895. [10]
- Mason SJ and Graham NE (2002) Areas beneath the relative operating characteristics (ROC) and relative operating levels (ROL) curves: statistical significance and interpretation. *Quart. J. Roy. Meteorol. Soc.*, **128**, 2145–2166. [10]
- Mason SJ and Mimmack GM (2002) Comparison of some statistical methods of probabilistic forecasting of ENSO. *J. Climate*, **15**, 8–29. [10]
- Mason SJ, Galpin JS, Goddard L, Graham NE and Rajaratnam B (2007) Conditional exceedance probabilities. *Monthly Weather Review*, **135**, 363–372. [10]
- Mathur A, Burton I and Van Aalst M (eds) (2004) *An Adaptation Mosaic: A Sample of the Emerging World Bank Work in Climate Change Adaptation*, A World Bank publication. Available at: <http://www-wds.worldbank.org> [11]
- Matthews RAJ (1996) Base-rate errors and rain forecasts, *Nature*, **382**, 766. [11]
- Maurer EP, Wood AW, Adam JC, Lettenmaier DP and Nijssen B (2002) A long-term hydrologically based data set of land surface fluxes and states for the conterminous United States. *J. Climate*, **15**, 3237–3251. [8]
- Maurer EP, O'Donnell GM, Lettenmaier DP and Roads JO (2001) Evaluation of the land surface water budget in NCEP/NCAR and NCEP/DOE reanalyses using an off-line hydrologic model. *J. Geophysical Research*, **106**, 17841–17862. [8]
- McCreary JP and Anderson DLT (1984) A simple model of El Niño and the Southern Oscillation. *Monthly Weather Review*, **112**, 934–46. [3]
- McCreary JP and Anderson DLT (1991) An overview of coupled ocean - atmosphere models of El Niño and the Southern Oscillation. *J. Geophysical Research*, **96**, 3125–315. [3, 4]
- McCreary JP and Lu P (1994) Interaction between the subtropical and equatorial ocean circulations: The subtropical cell. *J. Physical Oceanography*, **24**, 466–497. [4]
- Meehl GA, Gent PR, Arblaster JM et al. (2001) Factors that affect the amplitude of El Niño in global coupled climate models. *Climate Dynamics*, **17**, 515–526. [6]
- Meinke H, Nelson R, Kokic P et al. (2006) Actionable climate knowledge: from analysis to synthesis. *Climate Research*, **33**, 101–110. [2]
- Michaelsen J (1987) Cross-validation in statistical climate forecast models. *J. Climate and Applied Meteorology*, **26**, 1589–1600. [3]
- Miyakoda K (1986) Assessment of results from different analysis schemes. In International Conference on the Results of the Global Weather Experiment and Their Implications for the World Weather Watch, GARP Publications Series No. 26, (Volume 1), WMO/TD No. 107, pp 217–253. [5]

- Mjelde JW, Peel DS, Sonka ST, and Lamb PJ (1993) Characteristics of climate forecast quality: Implications for economic value to midwestern corn producers. *J. Climate*, **6**, 2175–2187. [2]
- Moore DW and Philander SGH (1977) Modelling of the tropical ocean circulation. In: Goldberg ED, McCave IN, O'Brien JJ and Steele JH (eds) *The Sea*, pp 319–361. [4]
- Müller WA, Appenzeller C, Doblas-Reyes FJ and Liniger MA (2005) A debiased ranked probability skill score to evaluate probabilistic ensemble forecasts with small ensemble sizes. *J. Climate*, **18**, 1513–1523. [10]
- Mun J (2004) *Applied Risk Analysis: Moving Beyond Uncertainty in Business*, Wiley Finance, 481 pp. [2]
- Murphy AH (1973a) A new vector partition of the probability score. *J. Appl. Meteor.*, **12**, 595–600. [10]
- Murphy AH (1973b) Hedging and skill scores for probability forecasts. *J. Appl. Meteor.*, **12**, 215–223. [10]
- Murphy AH (1991) Forecast verification: Its complexity and dimensionality. *Monthly Weather Review*, **119**, 1590–1601. [10]
- Murphy AH (1993) What is a good forecast? An essay on the nature of goodness in weather forecasting. *Weather Forecasting*, **8**, 281–293. [10]
- Murphy AH and Winkler RL (1987) A general framework for forecast verification. *Monthly Weather Review*, **115**, 1330–1338. [10]
- Navarra A and Tribbia J (2005) The Coupled Manifold. *J. Atmos. Sci.*, **62**, 310–330. [6]
- Neelin D, Battisti DS, Hirst AC et al. (1998) ENSO theory. *J. Geophys. Res.*, **103**, 14,261–14,290. [2]
- New South Wales Department of Land and Water Conservation (1998) *Integrated Quantity-Quality Model (IQQM) Reference Manual* [13]
- New M, Hulme M and Jones P (2000) Representing twentieth-century space-time climate variability. Part II: Development of 1901–96 monthly grids of terrestrial surface climate. *J. Climate*, **13**, 2217–2238. [8]
- Nicholls N (1999) Cognitive illusions, heuristics, and climate prediction. *Bull. Amer. Meteor. Soc.*, **80**, 1385–1397. [11, 13]
- NOAA NODC World Ocean Atlas (2005) Levitus S (ed) NOAA Atlases NESDIS 61 and 62, U.S. Government Printing Office, Washington, D.C., 182 pp. [4]
- Pacanowski RC and Philander SGH (1981) Parameterization of vertical mixing in numerical models of tropical oceans. *J. Physical Oceanography*, **11**, 1443–1451. [6]
- Palmer TN (2001) A nonlinear dynamical perspective on model error: A proposal for non-local stochastic-dynamic parameterisation in weather and climate prediction models. *Quart. J. Roy. Meteorol. Soc.*, **127**, 279–304. [6]
- Palmer TN (2006) Predictability of weather and climate: from theory to practice. In: Palmer TN and Hagedorn R (eds) *Predictability of Weather and Climate*. Cambridge Univ. Press, pp. 1–29. [3]
- Palmer TN and Anderson DLT (1994) The prospects for seasonal forecasting: A review paper. *Quart. J. Roy. Meteorol. Soc.*, **120**, 755–793. [5]
- Palmer TN, Buizza R, Molteni F, Chen Y-Q and Corti S (1994) Singular vectors and the predictability of weather and climate. *Philos. Trans. Roy. Soc.*, **348A**, 459–475. [5]
- Palmer TN, Branković Č and Richardson DS (2000) A probability and decision-model analysis of PROVOST seasonal multi-model ensemble integrations. *Quart. J. Roy. Meteorol. Soc.*, **126**, 2013–2033. [8]
- Palmer TN, Alessandri A, Andersen U et al. (2004) Development of a European multi-model ensemble system for seasonal-to-inter-annual prediction (DEMETER). *Bull. Amer. Meteor. Soc.*, **85**, 853–872. [8, 10]

- Palmer TN and Hagedorn R (eds) (2006) *Predictability of Weather and Climate*. Cambridge Univ. Press, 702 pp. [3]
- Panofsky HA (1949) Objective weather map analysis. *J. Meteor.*, **6**, 386–392. [5]
- Pedlosky J (1996) *Ocean Circulation Theory*. Springer-Verlag, 464 pp. [4]
- Peters H, Gregg MC and Toole JM (1988) On the parameterization of equatorial turbulence. *J. Geophysical Research*, **93**, 1199–1218. [6]
- Peterson DP (1968) On the concept and implementation of sequential analysis for linear random fields. *Tellus*, **20**, 673–686. [5]
- Philander SG. (2004) *Our Affair with El Niño*. Princeton Univ. Press, 275 pp. [3]
- Pielke Jr RA, Sarewitz D and Byerly Jr R (2000) Decision making and the future of nature: Understanding and using predictions. In: Sarewitz D, Pielke Jr RA and Byerly Jr R (eds) *Prediction. Science, Decision Making and the Future of Nature*. Island Press, 361–388. [12, 14]
- Potts JM, Folland CK, Jolliffe IT, and Sexton D (1996) Revised "LEPS" scores for assessing climate model simulations and long-range forecasts. *J. Climate*, **9**, 34–53. [13]
- Richardson LF (1922) *Weather Prediction by Numerical Process*. Cambridge University Press, 236 pp. [5]
- Ritchie JW, Abawi GY, Dutta SC, Harris TR and Bange MP (2004) Risk management strategies using seasonal climate forecasting in irrigated cotton production: a tale of stochastic dominance. *Australian J. Agricultural and Resource Economics*, **48**, 65–93. [13]
- Richman MB (1986) Rotation of principal components. *J. Climatology*, **6**, 293–335. [7]
- Robertson AW, Kirshner S and Smyth P (2004) Downscaling of daily rainfall occurrence over northeast Brazil using a hidden Markov model. *J. Climate*, **17**, 4407–4424. [8]
- Rodgers KB, Blanke B, Madec G et al. (2003) Extratropical sources of equatorial Pacific upwelling in an OGCM. *Geophys. Res. Lett.*, **30**, 1084. [4]
- Rodwell MJ and Hoskins BJ (1996) Monsoons and the dynamics of deserts. *Quart. J. Roy. Meteorol. Soc.*, **122**, 1385–1404. [4]
- Roeckner E, Arpe K, Bengtsson L et al. (1996) The atmospheric circulation model ECHAM-4: Model description and simulation of present-day climate. MPI-Rep. 218, MPI für Meteorologie, Hamburg, 90 pp. [8, 10]
- Rothstein LM, Zhang R-H, Busalacchi AJ and Chen D (1998) A numerical simulation of the mean water pathways in the subtropical and tropical Pacific Ocean. *J. Physical Oceanography*, **28**, 322–343. [4]
- Roulston MS and Smith LA (2002) Evaluating probabilistic forecasts using information theory. *Monthly Weather Review*, **130**, 1653–1660. [8, 10]
- Sayuti R, Karyadi W, Yasin I and Abawi GY (2004) Factors affecting the use of climate forecasts in agriculture: a case study of Lombok Island, Indonesia. ACIAR Technical Report No. 59, 52 pp. [13]
- Schlesinger M.E (1979) Global ocean-atmosphere model with seasonal variations for future studies of climate sensitivity. *Dyn. Atmos. Ocean*, **3**, 427–432. [6]
- Schopf PS and Cane MA (1983) On equatorial dynamics, mixed-layer physics and sea surface temperature. *J. Physical Oceanography*, **13**, 917–935. [6]
- Schopf PS and Suarez MJ (1988) Vacillations in a coupled ocean-atmosphere model. *J. Atmos. Sci.*, **45**, 549–566. [4]
- Schopf PS and Suarez MJ (1990) Ocean wave dynamics and the timescale of ENSO. *J. Physical Oceanography*, **20**, 629–645. [4]
- Schopf PS and Lough A (1995) A reduced gravity isopycnal ocean model: Hindcasts of El Niño. *Monthly Weather Review*, **123**, 2839–2863. [6]
- Sheskin DJ (2007) *Handbook of Parametric and Nonparametric Statistical Procedures*. Chapman & Hall/CRC, 1736 pp. [8, 10]

- Shongwe ME, Ferro CAT, Coelho CAS and van Oldenborgh GJ (2007) Predictability of cold spring seasons in Europe. *Monthly Weather Review*, in press. [3]
- Shukla J, Anderson J, Baumhefner D et al. (2000) Dynamical seasonal prediction. *Bull. Amer. Meteor. Soc.*, **81**, 2593–2606. [8]
- Shutts G (2005) A kinetic energy backscatter algorithm for use in ensemble prediction systems. *Quart. J. Roy. Meteorol. Soc.*, **131**, 3079–3102. [6]
- Sittel MC (1994) Marginal probabilities of the extremes of ENSO events for temperature and precipitation in the Southeastern United States. Tech. Rep. 94-1, Center for Ocean-Atmospheric Prediction Studies. Florida State University, Tallahassee, FL. [12]
- Sonka ST, Mjelde JW, Lamb PJ, Hollinger SE, Dixon BL (1987) Valuing climate forecast information. *J. Climate and Appl. Meteor.*, **26**, 1080–1091. [12]
- Stephenson DB and Doblus-Reyes FJ (2000) Statistical methods for interpreting Monte Carlo ensemble forecasts. *Tellus*, **52A**, 300–322. [9]
- Stephenson DB, Coelho C, Doblus-Reyes F and Balmaseda MA (2005) Forecast assimilation: a unified framework for the combination of multi-model weather and climate predictions. *Tellus*, **57A**, 253–264. [3, 9]
- Stern PC and Easterling WE (1999) Making climate forecast information more useful. In: Stern PC and Easterling WE (Eds) *Making Climate Forecasts Matter*. National Research Council, National Academy Press, Washington D. C., 63–94. [12]
- Stern PC and Easterling WE (eds) (1999) *Making Climate Forecasts Matter*. National Research Council, National Academy Press, Washington, DC. 175 pp. [2]
- Stockdale TN, Anderson DLT, Alves JOS and Balmaseda MA (1998) Global seasonal rainfall forecasts using a coupled ocean-atmosphere model. *Nature*, **392**, 370–373. [3, 6]
- Swetnam TW and Betancourt JL (1990) Fire-Southern Oscillation relations in the Southwestern United States. *Science*, **249**, 1017–1020. [12]
- Thompson PD (1968) Reduction of analysis error through the constraints of dynamical consistency. *J. Appl. Meteor.*, **8**, 738–742. [5]
- Thompson RD and Perry AH (eds) (1997) *Applied Climatology: Principles and Practice*. Routledge, 352 pp. [13]
- Thomson MC, Ericksen PJ, Ben Mohamed A and Connor SJ (2004a) Land-Use change and infectious disease in West Africa. In: DeFries RS, Asner GP and Houghton RA (eds) *Ecosystems and Land Use Change*. Geophysical Monograph Series 153, American Geophysical Union, pp. 169–187. [13]
- Thomson MC, Connor SJ, Ward N and Molyneux D (2004b) Climate and Disease in West Africa. *EcoHealth*, **1**, 138–150. [13]
- Thomson MC, Obsomer V, Kamgno J et al. (2004c) Mapping the distribution of *Loa loa* in Cameroon in support of the African Programme for Onchocerciasis Control. *Filaria Journal*, 3:7. [13]
- Thomson MC, Mason SJ, Phindela T and Connor SJ (2005) Use of rainfall and sea surface temperature monitoring for malaria early warning in Botswana. *American J. Tropical Medicine and Hygiene*, **73**, 214–221. [13]
- Thomson MC, Doblus-Reyes FJ, Mason SJ et al. (2006) Malaria early warnings based on seasonal climate forecasts from multi-model ensembles. *Nature*, **439**, 576–579. [13]
- Tippett MK, Anderson JL, Bishop CH, Hamill TM, Whitaker JS (2003) Ensemble square-root filters. *Monthly Weather Review*, **131**, 1485–1490. [5]
- Tippett MK, Barnston AG and Robertson AW (2007) Estimation of seasonal precipitation tercile-based categorical probabilities from ensembles. *J. Climate*, **20**, 2210–2228. [8]
- Toth Z and Kalnay E (1997) Ensemble forecasting at NCEP and the breeding method. *Monthly Weather Review*, **125**, 3297–3319. [5]

- Troccoli A and Haines K (1999) Use of the temperature-salinity relation in a data assimilation context. *J. Atmos. and Oceanic Tech.*, **16**, 2011–2025. [5]
- Troccoli A, Balmaseda MA, Segsneider J et al. (2002) Salinity adjustments in the presence of temperature data assimilation. *Monthly Weather Review*, **130**, 89–102. [5]
- Turner AG, Inness PM and Slingo JM (2005) The role of the basic state in the ENSO-Monsoon relationship and implications for predictability. *Quart. J. Roy. Meteorol. Soc.*, **131**, 781–804. [6]
- Uppala SM, Kållberg P, Simmons AJ et al. (2005) The ERA-40 reanalysis. *Quart. J. Roy. Meteorol. Soc.*, **131**, 2961–3012. See also ECMWF Newsletter 101: <http://www.ecmwf.int/publications/newsletters/> [6]
- UN (2005) Investing in Development: A Practical Plan to Achieve the Millennium Development Goals. Millennium Project Report to the UN Secretary-General, p90. Available at: <http://www.unmillenniumproject.org> [11]
- UNDP (2005) The Sustainable Difference: Energy and the Environment to Achieve the Millennium Development Goals. Available at: <http://www.undp.org/energyandenvironment> [11]
- Valcke S, Caubel A, Vogelsang R, Declat D (2004) OASIS3 user's guide prism_2-4, PRISM Report Series No 2 (5th Ed.), CERFACS, Toulouse, France, 60 pp. [6]
- van Oldenborgh GJ (2000) What caused the onset of the 1997-98 El Niño? *Monthly Weather Review*, **128**, 2601–2607. [3]
- van Oldenborgh GJ, Balmaseda MA, Ferranti L, Stockdale TN and Anderson DLT (2005) Evaluation of atmospheric fields from the ECMWF seasonal forecasts over a 15-year period. *J. Climate*, **18**, 3250–3269. See also corrections Vol. 18. [3]
- Vecchi G, Wittenberg A and Rosati A. (2006) Reassessing the role of stochastic forcing in the 1997-8 El Niño. *Geophys. Res. Lett.*, **33**, L01706. [3]
- Vialard J, Weaver AT, Anderson DLT and Delecluse P (2003) Three- and four-dimensional variational assimilation with a general circulation model of the tropical Pacific Ocean. Part 2: Physical validation. *Monthly Weather Review*, **131**, 1379–1395. [5]
- von Storch H and Zwiers FW (1999) *Statistical Analysis in Climate Research*. Cambridge University Press, 484 pp. [7, 8]
- Wang C and Picaut J (2004) Understanding ENSO physics – a review. In: *Earth's Climate*, Geophysical Monograph series 147, American Geophys. Union, 10.1029/147GM02. [3]
- Ward MN (1998) Diagnosis and short-lead prediction of summer rainfall in tropical North Africa at interannual and multidecadal timescales. *J. Climate*, **12**, 3167–3191. [8]
- Ward NM and Folland CK (1991) Prediction of seasonal rainfall in the north Nordeste of Brazil using eigenvectors of sea surface temperatures. *Int. J. Climatol.*, **11**, 711–743. [10]
- Washington WM, Semtner AJ, Meehl GA, Knight DJ and Mayer TA (1980) A general circulation experiment with a coupled atmosphere, ocean and sea ice model. *J. Physical Oceanography*, **10**, 1887–1908. [6]
- Weaver AT, Deltel C, Machu E, Ricci S and Daget N. (2005) A multivariate balance operator for variational ocean data assimilation. *Quart. J. Roy. Meteorol. Soc.*, **135**, 3605–3625. [5]
- Weaver AT, Vialard J and Anderson DLT (2003) Three- and four-dimensional variational assimilation with a general circulation model of the tropical Pacific Ocean. Part 1: Formulation, internal diagnostics and consistency checks. *Monthly Weather Review*, **131**, 1360–1378. [5]
- Weber EU (2001) Personality and risk taking. In: Smelser NJ and Baltes PB (eds) *International Encyclopedia of the Social and Behavioral Sciences*. Elsevier Science, pp. 11274–11276. [2]

- Weigel AP, Liniger MA and Appenzeller C (2007) The discrete Brier and ranked probability skill scores. *Monthly Weather Review*, **135**, 118–124. [10]
- Weisheimer A, Smith LA, Judd K (2005) A new view of seasonal forecast skill: bounding boxes from the DEMETER ensemble forecasts. *Tellus*, **57A**, 265–279. [10]
- White I, Falkland A and Scott D (1999) Droughts in small coral islands: Case study, South Tarawa, Kiribati. UNESCO-IHP Humid Tropics Programme. [13]
- WHO (2001) Malaria Early Warning Systems: Concepts, indicators and partners. Geneva, Roll Back Malaria Cabinet Project, World Health Organization (WHO/CDS/RBM-/2000.32). [13]
- WHO (2004a) Heat-waves: Risks and responses. WHO Regional Office for Europe. [13]
- WHO (2004b) Using climate to predict infectious disease outbreaks: A review. Geneva, World Health Organization. [13]
- Wilby RL, Conway D, and Jones PD (2002) Prospects for downscaling seasonal precipitation variability using conditioned weather generator parameters. *Hydrological Processes*, **16**, 1215–1234. [8]
- Wilks DS (2004) The minimum spanning tree histogram as a verification tool for multidimensional ensemble forecasts. *Monthly Weather Review*, **132**, 1329–1340. [10]
- Wilks DS (2005) Statistical Methods in the Atmospheric Sciences: An Introduction. Academic Press, 627 pp. [7, 8, 9]
- Wilks DS and Wilby RL (1999) The weather generation game: A review of stochastic weather models. *Prog. Phys. Geogr.*, **23**, 329–357. [8]
- Wilson LJ, Burrows WR and Lanzinger A (1999) A strategy for verification of weather element forecasts from an ensemble prediction system. *Monthly Weather Review*, **127**, 956–970. [10]
- WMO (1999) The 1997-1998 El Niño event: A scientific and technical retrospective. World Meteorological Organization, Geneva (WMO 905). [1]
- WMO (2003a) Guidelines on climate observation networks and systems. World Meteorological Organization (WCDMP No. 52). [13]
- WMO (2003b) Guidelines on climate metadata and homogenization. World Meteorological Organization (WCDMP No. 53). [13]
- WMO (2003c) Report of the joint WMO/CLIVAR expert team on climate change detection, monitoring and indices. World Meteorological Organization (WCDMP No. 54). [13]
- WMO (2004) Proceeding of the meeting of experts to develop guidelines on heat/health warning systems. World Meteorological Organization (WMO-TD No. 1212). [13]
- Wolfram S (1994). Cellular Automata and Complexity: Collected Papers. Addison-Wesley, 596 pp. [6]
- Wu RG and Kirtman BP (2005) Roles of Indian and Pacific ocean air-sea coupling in tropical atmospheric variability. *Climate Dyn.*, **25**, 155–170. [8]
- Wu RG, Kirtman BP and Pegion K (2006) Local air-sea relationship in observations and model simulations. *J. Climate*, **19**, 4914–4932. [8]
- Xu Q-S and Liang Y-Z (2001) Monte Carlo cross validation. *Chemom. Intell. Lab. Syst.*, **56**, 1–11. [7]
- Yu ZJ and Schopf PS (1997) Vertical eddy mixing in the tropical upper ocean: Its influence on zonal currents. *J. Physical Oceanography*, **27**, 1447–1458. [6]
- Zebiak SE and Cane M (1987) A model El Niño Southern Oscillation. *Monthly Weather Review*, **115**, 2262–2278. [3, 6]